Derambure, P., see Bleuse, S. **24**, 203
Desloovere, K., G. Molenaers, H. Feys, C. Huenaerts, B. Callewaert, P.V.d. Walle, Do dynamic and static clinical measurements correlate with gait analysis parameters in children with cerebral palsy? **24**, 302
Desloovere, K., G. Molenaers, L. Van Gestel, C. Huenaerts, A. Van Campenhout, B. Callewaert, P. Van de Walle, J. Seyler, How can push-off be preserved during use of an ankle foot orthosis in children with hemiplegia? A prospective controlled study **24**, 142
Dingwell, J.B., see Kang, H.G. **24**, 386
Doan, J.B., see Brown, L.A. **24**, 397, 418
Duncan, A., see Houck, J.R. **24**, 314
Dyson, R., see Smith, N. **24**, 453

Eng, J.J., see Tokuno, C.D. **24**, 424

Fantozzi, S., see Stagni, R. **24**, 137
Faulkner, K.A., M.S. Redfern, C. Rosano, D.P. Landsittel, S.A. Studenski, J.A. Cauley, J.M. Zmuda, E.M. Simonsick, S.B. Kritchevsky, A.B. Newman, Reciprocal influence of concurrent walking and cognitive testing on performance in older adults **24**, 182
Feys, H., see Desloovere, K. **24**, 302
Fonseca, S.T., see Chagas, P.S.C. **24**, 375
Forrester, L., see Mizelle, C. **24**, 356
Fosang, A., R. Baker, A method for comparing manual muscle strength measurements with joint moments during walking **24**, 406
Freedman, W., see Barker, S.P. **24**, 448
Fung, J., see Paquette, C. **24**, 62

Galisteo, A.M., see Castro, J.L.G. **24**, 126
Gard, S.A., see Moosabhoy, M.A. **24**, 493
Gerber, H., see Zihlmann, M.S. **24**, 475
Gérin-Lajoie, M., C.L. Richards, B.J. McFadyen, The circumvention of obstacles during walking in different environmental contexts: A comparison between older and younger adults **24**, 364
Ginanneschi, F., see della Volpe, R. **24**, 349
Goh, J.C.H., see Chan, P.Y. **24**, 219
Gollhofer, A., see Granacher, U. **24**, 459
Gomes, V.P.D., see Chagas, P.S.C. **24**, 375
Grabiner, M.D., see Troy, K.L. **24**, 441
Granacher, U., A. Gollhofer, D. Strass, Training induced adaptations in characteristics of postural reflexes in elderly men **24**, 459
Guieu, J.-D., see Bleuse, S. **24**, 203

Haex, B., see Huysmans, T. **24**, 54
Hale, T., see Smith, N. **24**, 453
Hallemans, A., D.D. Clercq, P. Aerts, Changes in 3D joint dynamics during the first 5 months after the onset of independent walking: A longitudinal follow-up study **24**, 270
Hanlon, M., R. Anderson, Prediction methods to account for the effect of gait speed on lower limb angular kinematics **24**, 280
Hansson, G.-A., see Coury, H.J.C.G. **24**, 370
Harris, G.F., see Khazzam, M. **24**, 85
Harris, G.F., see Myers, K.A. **24**, 323
Haupenthal, A., see Roesler, H. **24**, 412
Heiden, T.L., D.J. Sanderson, J.T. Inglis, G.P. Siegmund, Adaptations to normal human gait on potentially slippery surfaces: The effects of awareness and prior slip experience **24**, 237
Heiden, T.L., see Siegmund, G.P. **24**, 110
Heikens, S., see Brandes, M. **24**, 482
Hell, A.K., see Romkes, J. **24**, 467
Hillstrom, H., see Barker, S.P. **24**, 448
Hirsch, M.A., see Westhoff, B. **24**, 196
Hollands, M.A., see Chapman, G.J. **24**, 288
Holmes, A.D., see Chow, D.H.K. **24**, 173
Houck, J.R., A. Duncan, K.E. De Haven, Comparison of frontal plane trunk kinematics and hip and knee moments during anticipated and unanticipated walking and side step cutting tasks **24**, 314
Huenaerts, C., see Desloovere, K. **24**, 142, 302
Huysmans, T., B. Haex, T.D. Wilde, R.V. Audekercke, J.V. Sloten, G.V.d. Perre, A 3D active shape model for the evaluation of the alignment of the spine during sleeping **24**, 54

Inglis, J.T., see Heiden, T.L. **24**, 237
Inglis, J.T., see Siegmund, G.P. **24**, 110
Isableu, B., see Vuillerme, N. **24**, 169

Jacq, C., see Yelnik, A.P. **24**, 262
Janaway, L., see Smith, N. **24**, 453
Janisse, D., see Myers, K.A. **24**, 323
Jasiewicz, J.M., J.H.J. Allum, J.W. Middleton, A. Barriskill, P. Condie, B. Purcell, R.C.T. Li, Gait event detection using linear accelerometers or angular velocity transducers in able-bodied and spinal-cord injured individuals **24**, 502
Johanson, M.E., S.A. Radtka, Amplitude threshold criteria improve surface electrode specificity during walking and functional movements **24**, 429
Jordan, K., J.H. Challis, K.M. Newell, Long range correlations in the stride interval of running **24**, 120

Kang, H.G., J.B. Dingwell, Intra-session reliability of local dynamic stability of walking **24**, 386
Kassouha, A., see Yelnik, A.P. **24**, 262
Kaufman, K., H. Chambers, David H. Sutherland, MD (1923–2006). Pediatric Orthopedic Surgeon Founder Father of Clinical Gait Analysis **24**, 1
Khazzam, M., J.T. Long, R.M. Marks, G.F. Harris, Preoperative gait characterization of patients with ankle arthrosis **24**, 85
Kim, S., see Lockhart, T.E. **24**, 23
Klein, J.P., see Myers, K.A. **24**, 323
Koop, S.E., see Schwartz, M.H. **24**, 14
Krauspe, R., see Westhoff, B. **24**, 196
Kritchevsky, S.B., see Faulkner, K.A. **24**, 182
Kurz, M.J., N. Stergiou, Original investigation correlated joint fluctuations can influence the selection of steady state gait patterns in the elderly **24**, 435
Kwok, M.L.Y., see Chow, D.H.K. **24**, 173

Labyt, E., see Bleuse, S. **24**, 203
Lake, M., see Barton, G.J. **24**, 510
Lamontagne, M., see Benoit, D.L. **24**, 152
Lamoreux, L.W., see Schache, A.G. **24**, 100
Landsittel, D.P., see Faulkner, K.A. **24**, 182
Lao, M.L.M., see Chow, D.H.K. **24**, 173
Lees, A., see Barton, G. **24**, 46
Lees, A., see Barton, G.J. **24**, 510
Leman, M.C., see Yelnik, A.P. **24**, 262
Lenoir, M., see Segers, V. **24**, 247
Leo, T., see Verdini, F. **24**, 77
Li, R.C.T., see Jasiewicz, J.M. **24**, 502
Lindstrom, K.E., see Radtka, S.A. **24**, 211
Lisboa, P., see Barton, G. **24**, 46
Lockhart, T.E., S. Kim, Relationship between hamstring activation rate and heel contact velocity: Factors influencing age-related slip-induced falls **24**, 23
Long, J.T., see Khazzam, M. **24**, 85
Long, J.T., see Myers, K.A. **24**, 323

Mancini, M.C., see Chagas, P.S.C. **24**, 375
Marcucci, M., see Verdini, F. **24**, 77
Marks, R.M., see Khazzam, M. **24**, 85
Martin, N., see Mouchnino, L. **24**, 4
Massion, J., see Mouchnino, L. **24**, 4
Mazzocchio, R., see della Volpe, R. **24**, 349

McFadyen, B.J., see Gérin-Lajoie, M. **24**, 364
McKenzie, N.C., see Brown, L.A. **24**, 418
Medina-Carnicer, R., see Castro, J.L.G. **24**, 126
Menz, H.B., M.E. Morris, Clinical determinants of plantar forces and pressures during walking in older people **24**, 229
Middleton, J.W., see Jasiewicz, J.M. **24**, 502
Mille, M.-L., see Mouchnino, L. **24**, 4
Miller, F., Editorial **24**, 259
Miyoshi, T., K. Nakazawa, M. Tanizaki, T. Sato, M. Akai, Altered activation pattern in synergistic ankle plantarflexor muscles in a reduced-gravity environment **24**, 94
Mizelle, C., M. Rodgers, L. Forrester, Bilateral foot center of pressure measures predict hemiparetic gait velocity **24**, 356
Müller, R., see van Hedel, H.J.A. **24**, 35
Molenaers, G., see Desloovere, K. **24**, 142, 302
Moosabhoy, M.A., S.A. Gard, Methodology for determining the sensitivity of swing leg toe clearance and leg length to swing leg joint angles during gait **24**, 493
Morris, M.E., see Menz, H.B. **24**, 229
Morris, S.L., G.T. Allison, Effects of abdominal muscle fatigue on anticipatory postural adjustments associated with arm raising **24**, 342
Mouchnino, L., M.-L. Mille, N. Martin, G. Baroni, M. Cincera, A. Bardot, A. Delarque, J. Massion, A. Pedotti, Behavioral outcomes following below-knee amputation in the coordination between balance and leg movement **24**, 4
Myers, K.A., J.T. Long, J.P. Klein, J.J. Wertsch, D. Janisse, G.F. Harris, Biomechanical implications of the negative heel rocker sole shoe: Gait kinematics and kinetics **24**, 323

Nakazawa, K., see Miyoshi, T. **24**, 94
Newell, K.M., see Jordan, K. **24**, 120
Newman, A.B., see Faulkner, K.A. **24**, 182
Noé, F., F. Quaine, Insertion of the force applied to handles into centre of pressure calculation modifies the amplitude of centre of pressure shifts **24**, 382

Oliveira, G.B., see Radtka, S.A. **24**, 211

Paquet, N., see Paquette, C. **24**, 62
Paquette, C., N. Paquet, J. Fung, Aging affects coordination of rapid head motions with trunk and pelvis movements during standing and walking **24**, 62
Patanè, F., see Petrarca, M. **24**, 331
Pedotti, A., see Mouchnino, L. **24**, 4
Perinetti, G., Dental occlusion and body posture: No detectable correlation **24**, 165
Perre, G.V.d., see Huysmans, T. **24**, 54
Petermann, A., see Westhoff, B. **24**, 196
Peters, B.T., R.E.A. van Emmerik, J.J. Bloomberg, Stride cycle influences on goal-directed head movements made during walking **24**, 70
Petrarca, M., G.D. Rosa, P. Cappa, F. Patanè, Stepping over obstacles of different heights: Kinematic and kinetic strategies of leading limb in hemiplegic children **24**, 331
Poletto, P.R., see Coury, H.J.C.G. **24**, 370
Polych, M.A., see Brown, L.A. **24**, 397
Popa, T., see della Volpe, R. **24**, 349
Powell, D., see Zhang, S. **24**, 487
Purcell, B., see Jasiewicz, J.M. **24**, 502

Quaine, F., see Noé, F. **24**, 382

Radtka, S.A., G.B. Oliveira, K.E. Lindstrom, M.D. Borders, The kinematic and kinetic effects of solid, hinged, and no ankle–foot orthoses on stair locomotion in healthy adults **24**, 211
Radtka, S.A., see Johanson, M.E. **24**, 429
Ramsey, D.K., see Benoit, D.L. **24**, 152
Rao, S., C. Saltzman, H.J. Yack, Ankle ROM and stiffness measured at rest and during gait in individuals with and without diabetic sensory neuropathy **24**, 295
Redfern, M.S., see Faulkner, K.A. **24**, 182
Renström, P., see Benoit, D.L. **24**, 152
Richards, C.L., see Gérin-Lajoie, M. **24**, 364
Richards, J.G., see Crenshaw, S.J. **24**, 515
Rine, R.M., see Courtney, C.A. **24**, 190
Robb, J., Cerebral Palsy **24**, 130
Robb, J., The treatment of gait problems in cerebral palsy. Clinics in Developmental Medicine No 164-165 **24**, 130
Robb, J., Editorial **24**, 260
Rodgers, M., see Mizelle, C. **24**, 356
Roesler, H., A. Haupenthal, G.R. Schütz, P.V. de Souza, Dynamometric analysis of the maximum force applied in aquatic human gait at 1.3 m of immersion **24**, 412
Romkes, J., A.K. Hell, R. Brunner, Changes in muscle activity in children with hemiplegic cerebral palsy while walking with and without ankle–foot orthoses **24**, 467
Rosa, G.D., see Petrarca, M. **24**, 331
Rosano, C., see Faulkner, K.A. **24**, 182
Rosenbaum, D., see Brandes, M. **24**, 482
Rossi, A., see della Volpe, R. **24**, 349

Saltzman, C., see Rao, S. **24**, 295
Salvini, T.F., see Coury, H.J.C.G. **24**, 370
Sampaio, R.F., see Chagas, P.S.C. **24**, 375
Sanderson, D.J., see Heiden, T.L. **24**, 237
Sanderson, D.J., see Siegmund, G.P. **24**, 110
Sato, T., see Miyoshi, T. **24**, 94
Schache, A.G., R. Baker, L.W. Lamoreux, Defining the knee joint flexion–extension axis for purposes of quantitative gait analysis: An evaluation of methods **24**, 100
Schütz, G.R., see Roesler, H. **24**, 412
Schwartz, M.H., S.E. Koop, J.L. Bourke, R. Baker, A nondimensional normalization scheme for oxygen utilization data **24**, 14
Segers, V., P. Aerts, M. Lenoir, D. De Clercq, Spatiotemporal characteristics of the walk-to-run and run-to-walk transition when gradually changing speed **24**, 247
Seyler, J., see Desloovere, K. **24**, 142
Siegmund, G.P., see Heiden, T.L. **24**, 237
Siegmund, G.P., T.L. Heiden, D.J. Sanderson, J.T. Inglis, J.R. Brault, The effect of subject awareness and prior slip experience on tribometer-based predictions of slip probability **24**, 110
Simonsick, E.M., see Faulkner, K.A. **24**, 182
Sloten, J.V., see Huysmans, T. **24**, 54
Smith, N., R. Dyson, T. Hale, L. Janaway, Contributions of the inside and outside leg to maintenance of curvilinear motion on a natural turf surface **24**, 453
Soares, T.B.C., see Chagas, P.S.C. **24**, 375
Sparrow, W.A., Evaluation and management of gait disorders **24**, 391
Spidalieri, R., see della Volpe, R. **24**, 349
Stacoff, A., see Zihlmann, M.S. **24**, 475
Stagni, R., S. Fantozzi, A. Cappello, Propagation of anatomical landmark misplacement to knee kinematics: Performance of single and double calibration **24**, 137
Stergiou, N., see Kurz, M.J. **24**, 435
Strass, D., see Granacher, U. **24**, 459
Stüssi, E., see Zihlmann, M.S. **24**, 475
Studenski, S.A., see Faulkner, K.A. **24**, 182
Székely, G., see Zihlmann, M.S. **24**, 475

Tanizaki, M., see Miyoshi, T. **24**, 94
Theologis, T., Editorial **24**, 261
Thomson, C., Neale's disorders of the foot **24**, 131
Tokuno, C.D., J.J. Eng, Gait initiation is dependent on the function of the paretic trailing limb in individuals with stroke **24**, 424

Tomatis, L., see van Hedel, H.J.A. **24**, 35
Troy, K.L., M.D. Grabiner, Recovery responses to surrogate slipping tasks differ from responses to actual slips **24**, 441

Van Campenhout, A., see Desloovere, K. **24**, 142
Van de Walle, P., see Desloovere, K. **24**, 142
van Emmerik, R.E.A., see Peters, B.T. **24**, 70
Van Gestel, L., see Desloovere, K. **24**, 142
van Hedel, H.J.A., L. Tomatis, R. Müller, Modulation of leg muscle activity and gait kinematics by walking speed and bodyweight unloading **24**, 35
van Lummel, R., see Brandes, M. **24**, 482
Vanrenterghem, J., see Barton, G.J. **24**, 510
Verdini, F., M. Marcucci, M.G. Benedetti, T. Leo, Identification and characterisation of heel strike transient **24**, 77
Vicaut, E., see Yelnik, A.P. **24**, 262
Vuillerme, N., C. Burdet, B. Isableu, S. Demetz, The magnitude of the effect of calf muscles fatigue on postural control during bipedal quiet standing with vision depends on the eye–visual target distance **24**, 169

Walle, P.V.d., see Desloovere, K. **24**, 302
Wertsch, J.J., see Myers, K.A. **24**, 323
Westhoff, B., A. Petermann, M.A. Hirsch, R. Willers, R. Krauspe, Computerized gait analysis in Legg Calvé Perthes disease—Analysis of the frontal plane **24**, 196
Wilde, T.D., see Huysmans, T. **24**, 54
Willers, R., see Westhoff, B. **24**, 196
Wong, H.K., see Chan, P.Y. **24**, 219
Wong, M.S., see Chow, D.H.K. **24**, 173
Wretenberg, P., see Benoit, D.L. **24**, 152

Xu, L., see Benoit, D.L. **24**, 152

Yack, H.J., see Rao, S. **24**, 295
Yao, F.Y.D., see Chow, D.H.K. **24**, 173
Yelnik, A.P., A. Kassouha, I.V. Bonan, M.C. Leman, C. Jacq, E. Vicaut, F.M. Colle, Postural visual dependence after recent stroke: Assessment by optokinetic stimulation **24**, 262

Zhang, S., K.G. Clowers, D. Powell, Ground reaction force and 3D biomechanical characteristics of walking in short-leg walkers **24**, 487
Zihlmann, M.S., H. Gerber, A. Stacoff, K. Burckhardt, G. Székely, E. Stüssi, Three-dimensional kinematics and kinetics of total knee arthroplasty during level walking using single plane video-fluoroscopy and force plates: A pilot study **24**, 475
Zijlstra, W., see Brandes, M. **24**, 482
Zmuda, J.M., see Faulkner, K.A. **24**, 182

ELSEVIER

Gait and Posture 24 (2006) 526–531

GAIT POSTURE

www.elsevier.com/locate/gaitpost

Subject index

Volume 24 (2006)

Abdominal muscles; Anticipatory postural adjustments; Trunk control; Fatigue **24**, 342

Accelerometry; Children; Inverted pendulum model; Steps; Walking distance **24**, 482

Active shape model; Spine; Spinal alignment; Posture; Sleep **24**, 54

Adaptation; Anticipation; Slip and fall **24**, 237

Adaptation physiological; Musculoskeletal equilibrium/physiology; Mandible/physiology; Biomechanics **24**, 165

Additional postural supports; Human movement; Posture **24**, 382

Adolescents; Repeatability; Scoliosis; Gait; Spinal motion **24**, 219

Age; Posture; Anticipatory postural adjustments; Unilateral shoulder flexion; Vertical torque **24**, 203

Age; Slips; Falls; Hamstring activation rate; Heel velocity; RCOF **24**, 23

Aged; Gait; Plantar pressure **24**, 229

Aging; Control of locomotion; Obstacle avoidance; Personal space; Attention **24**, 364

Aging; Fear of falling; Fall risk; Postural control; Obstacle negotiation **24**, 418

Aging; Postural control; Anxiety; Fear of falling **24**, 397

Aging; Sensorimotor training; Strength training; Reflex activity **24**, 459

Aging; Variability; Gait; Markov modeling; Nonlinear dynamics **24**, 435

Anatomical landmark misplacement; Human motion analysis; Knee kinematics; Soft tissue artefact; Error propagation **24**, 137

Ankle arthrosis; Foot and ankle kinematics; Gait **24**, 85

Ankle Foot Orthosis; Hemiplegia; Gait; Push-off; Carbon Fiber **24**, 142

Ankle ROM; Stiffness; Diabetes; Gait; Loading **24**, 295

Ankle–foot orthosis; Hemiplegia; Cerebral palsy; Gait analysis; EMG **24**, 467

Anterior cruciate ligament; Knee; Postural control; Dynamic stability; Somatosensory evoked potentials **24**, 190

Anticipation; Adaptation; Slip and fall **24**, 237

Anticipatory postural adjustments; Posture; Unilateral shoulder flexion; Vertical torque; Age **24**, 203

Anticipatory postural adjustments; Trunk control; Fatigue; Abdominal muscles **24**, 342

Anxiety; Postural control; Aging; Fear of falling **24**, 397

Aquatic gait; Ground reaction force; Underwater force platforms **24**, 412

Attention; Aging; Control of locomotion; Obstacle avoidance; Personal space **24**, 364

Attention; Dual-task; Walking; Gait; Cognition **24**, 182

Axis of rotation; Balance; Stewart platform; CAREN **24**, 510

Axis of rotation; Gait analysis; Kinematics; Knee; Hip rotation **24**, 100

Back pain; Posturography; Balance; Proprioception **24**, 349

Backpack; Scoliosis; Load carrying; Posture; Balance **24**, 173

Balance control; Below-knee amputees; Principal component analysis; Inter-segmental coordination **24**, 4

Balance; Head motion; Locomotion; Motor control; Movement kinematics **24**, 62

Balance; Posturography; Back pain; Proprioception **24**, 349

Balance; Scoliosis; Load carrying; Backpack; Posture **24**, 173

Balance; Stewart platform; Axis of rotation; CAREN **24**, 510

Balance; Stroke; Hemiplegia; Optokinetic; Visual dependence **24**, 262

Below-knee amputees; Balance control; Principal component analysis; Inter-segmental coordination **24**, 4

3D biomechanics; Short-leg walker; Walking boot; Gait; Walking **24**, 487

doi:10.1016/S0966-6362(06)00305-5

Biomechanics; 3D motion capture; Movement analysis; Measurement; Kinematics **24**, 126

Biomechanics; Gait transition; Spatiotemporal **24**, 247

Biomechanics; Knee; Thorax; Moments; Kinematics; Side step cut; Motor control **24**, 314

Biomechanics; Musculoskeletal equilibrium/physiology; Adaptation physiological; Mandible/physiology **24**, 165

Carbon Fiber; Ankle Foot Orthosis; Hemiplegia; Gait; Push-off **24**, 142

CAREN; Balance; Stewart platform; Axis of rotation **24**, 510

Center of pressure; Stroke; Gait; Hemiparesis; Motor control **24**, 356

Centre of foot pressure; Postural control; Muscular fatigue; Vision; Eye–visual target distance **24**, 169

Cerebral palsy; Hemiplegia; Ankle–foot orthosis; Gait analysis; EMG **24**, 467

Cerebrovascular accident; Gait speed; Kinetics **24**, 424

Child development; Gait; Co-contraction; Motor acquisition **24**, 375

Children; Accelerometry; Inverted pendulum model; Steps; Walking distance **24**, 482

Clinical measurements; Gait; CP; Correlation; Multiple regression **24**, 302

Co-contraction; Gait; Child development; Motor acquisition **24**, 375

Cognition; Dual-task; Attention; Walking; Gait **24**, 182

Control of locomotion; Aging; Obstacle avoidance; Personal space; Attention **24**, 364

Corrective footwear; Gait; Rocker sole shoe wear; Diabetic feet; Negative heel **24**, 323

Correlation; Gait; Clinical measurements; CP; Multiple regression **24**, 302

CP; Gait; Clinical measurements; Correlation; Multiple regression **24**, 302

Crosstalk; Electromyography; Signal processing; Gait; Normal adult **24**, 429

Curve; Gait; Running; Force; Kinematics; Natural turf; Soccer **24**, 453

Diabetes; Ankle ROM; Stiffness; Gait; Loading **24**, 295

Diabetic feet; Gait; Rocker sole shoe wear; Corrective footwear; Negative heel **24**, 323

Dimensionality reduction; Gait; Visualisation; Self-organising map; Kohonen neural network **24**, 46

Dissociated activation pattern; Synergistic ankle plantarflexor muscles; Walking in water **24**, 94

Dual-task; Attention; Walking; Gait; Cognition **24**, 182

Duchenne; Perthes disease; Frontal plane kinematics; Hip loading; Trendelenburg **24**, 196

Dynamic equilibrium; Locomotion; Falling; Slip **24**, 441

Dynamic stability; Anterior cruciate ligament; Knee; Postural control; Somatosensory evoked potentials **24**, 190

Dynamical degrees of freedom; Long range correlations; Running; Variability **24**, 120

Dynamometry; Gait analysis; Muscle strength; Kinetics **24**, 406

Electrogoniometer; Gait; Torque **24**, 370

Electromyogram; Human walking; Joint kinematics; Treadmill **24**, 35

Electromyography; Crosstalk; Signal processing; Gait; Normal adult **24**, 429

EMG; Hemiplegia; Cerebral palsy; Ankle–foot orthosis; Gait analysis **24**, 467

Error propagation; Human motion analysis; Knee kinematics; Soft tissue artefact; Anatomical landmark misplacement **24**, 137

Eye movements; Gait; Human locomotion; Falls **24**, 288

Eye–head coordination; Head movement; Target acquisition; Locomotion; Vision **24**, 70

Eye–visual target distance; Postural control; Muscular fatigue; Vision; Centre of foot pressure **24**, 169

Fall risk; Fear of falling; Aging; Postural control; Obstacle negotiation **24**, 418

Falling; Locomotion; Dynamic equilibrium; Slip **24**, 441

Falls; Gait; Eye movements; Human locomotion **24**, 288

Falls; Slips; Hamstring activation rate; Heel velocity; RCOF; Age **24**, 23

Fatigue; Anticipatory postural adjustments; Trunk control; Abdominal muscles **24**, 342

Fear of falling; Fall risk; Aging; Postural control; Obstacle negotiation **24**, 418

Fear of falling; Postural control; Anxiety; Aging **24**, 397

Floor clearance; Walking; Swing phase; Gait analysis; Sensitivity analysis **24**, 493

Foot and ankle kinematics; Gait; Ankle arthrosis **24**, 85

Foot contact detection; Gait analysis; Inertial sensors **24**, 502

Force; Gait; Running; Curve; Kinematics; Natural turf; Soccer **24**, 453

Force plate data; Movable video-fluoroscopy; Level walking; Kinematics and kinetics; Total knee arthroplasty **24**, 475

Frontal plane kinematics; Perthes disease; Hip loading; Trendelenburg; Duchenne **24**, 196

Gait adaptations; Slip and fall; Tribometers; Slip prediction **24**, 110

Gait analysis; Hemiplegia; Cerebral palsy; Ankle–foot orthosis; EMG **24**, 467

Gait analysis; Inertial sensors; Foot contact detection **24**, 502

Gait analysis; Kinematics; Knee; Axis of rotation; Hip rotation **24**, 100

Gait analysis; Muscle strength; Kinetics; Dynamometry **24**, 406

Gait analysis; Walking; Swing phase; Sensitivity analysis; Floor clearance **24**, 493

Gait; Ankle Foot Orthosis; Hemiplegia; Push-off; Carbon Fiber **24**, 142

Gait; Ankle ROM; Stiffness; Diabetes; Loading **24**, 295

Gait; Center of pressure; Stroke; Hemiparesis; Motor control **24**, 356

Gait; Clinical measurements; CP; Correlation; Multiple regression **24**, 302

Gait; Co-contraction; Child development; Motor acquisition **24**, 375

Gait; Dual-task; Attention; Walking; Cognition **24**, 182

Gait; Electrogoniometer; Torque **24**, 370

Gait; Electromyography; Crosstalk; Signal processing; Normal adult **24**, 429

Gait; Eye movements; Human locomotion; Falls **24**, 288

Gait; Foot and ankle kinematics; Ankle arthrosis **24**, 85

Gait; Hemiplegic children; Obstacle; Rehabilitation **24**, 331

Gait; Motion analysis; Kinematics; Locomotion; Reproducibility of results **24**, 448

Gait; Oxygen consumption; Oxygen cost; Normalization **24**, 14

Gait; Plantar pressure; Aged **24**, 229

Gait; Repeatability; Scoliosis; Adolescents; Spinal motion **24**, 219

Gait; Rocker sole shoe wear; Diabetic feet; Corrective footwear; Negative heel **24**, 323

Gait; Running; Force; Curve; Kinematics; Natural turf; Soccer **24**, 453

Gait; Short-leg walker; Walking boot; 3D biomechanics; Walking **24**, 487

Gait speed; Cerebrovascular accident; Kinetics **24**, 424

Gait speed; Kinematics; Regression; Prediction methods **24**, 280

Gait stability; Reliability; Local dynamic stability; Walking; Treadmill **24**, 386

Gait; Symmetry; Normalcy **24**, 515

Gait; Toddler; Kinematics; Kinetics **24**, 270

Gait transition; Spatiotemporal; Biomechanics **24**, 247

Gait; Variability; Aging; Markov modeling; Nonlinear dynamics **24**, 435

Gait; Visualisation; Dimensionality reduction; Self-organising map; Kohonen neural network **24**, 46

Ground reaction force; Aquatic gait; Underwater force platforms **24**, 412

Hamstring activation rate; Slips; Falls; Heel velocity; RCOF; Age **24**, 23

Head motion; Balance; Locomotion; Motor control; Movement kinematics **24**, 62

Head movement; Target acquisition; Locomotion; Eye–head coordination; Vision **24**, 70

Heel strike transient; Quadriceps; Impulsive loads; Wavelet transform **24**, 77

Heel velocity; Slips; Falls; Hamstring activation rate; RCOF; Age **24**, 23

Hemiparesis; Center of pressure; Stroke; Gait; Motor control **24**, 356

Hemiplegia; Ankle Foot Orthosis; Gait; Push-off; Carbon Fiber **24**, 142

Hemiplegia; Cerebral palsy; Ankle–foot orthosis; Gait analysis; EMG **24**, 467

Hemiplegia; Stroke; Optokinetic; Visual dependence; Balance **24**, 262

Hemiplegic children; Gait; Obstacle; Rehabilitation **24**, 331

Hip loading; Perthes disease; Frontal plane kinematics; Trendelenburg; Duchenne **24**, 196

Hip rotation; Gait analysis; Kinematics; Knee; Axis of rotation **24**, 100

Human locomotion; Gait; Eye movements; Falls **24**, 288

Human motion analysis; Knee kinematics; Soft tissue artefact; Anatomical landmark misplacement; Error propagation **24**, 137

Human movement; Posture; Additional postural supports **24**, 382

Human walking; Joint kinematics; Electromyogram; Treadmill **24**, 35

Impulsive loads; Heel strike transient; Quadriceps; Wavelet transform **24**, 77

In vivo; Soft tissue artifacts; Movement analysis; Three-dimensional analysis; Knee joint **24**, 152

Inertial sensors; Gait analysis; Foot contact detection **24**, 502

Inter-segmental coordination; Below-knee amputees; Balance control; Principal component analysis **24**, 4

Inverted pendulum model; Accelerometry; Children; Steps; Walking distance **24**, 482

Joint kinematics; Human walking; Electromyogram; Treadmill **24**, 35

Kinematics; 3D motion capture; Movement analysis; Measurement; Biomechanics **24**, 126

Kinematics and kinetics; Movable video-fluoroscopy; Level walking; Total knee arthroplasty; Force plate data **24**, 475

Kinematics; Gait analysis; Knee; Axis of rotation; Hip rotation **24**, 100

Kinematics; Gait; Motion analysis; Locomotion; Reproducibility of results **24**, 448

Kinematics; Gait; Running; Force; Curve; Natural turf; Soccer **24**, 453

Kinematics; Gait speed; Regression; Prediction methods **24**, 280

Kinematics; Knee; Thorax; Moments; Side step cut; Motor control; Biomechanics **24**, 314

Kinematics; Orthosis; Kinetics; Stair locomotion; Normal gait analysis **24**, 211

Kinematics; Toddler; Gait; Kinetics **24**, 270

Kinetics; Cerebrovascular accident; Gait speed **24**, 424

Kinetics; Gait analysis; Muscle strength; Dynamometry **24**, 406

Kinetics; Orthosis; Kinematics; Stair locomotion; Normal gait analysis **24**, 211

Kinetics; Toddler; Gait; Kinematics **24**, 270

Knee; Anterior cruciate ligament; Postural control; Dynamic stability; Somatosensory evoked potentials **24**, 190

Knee; Gait analysis; Kinematics; Axis of rotation; Hip rotation **24**, 100

Knee joint; Soft tissue artifacts; Movement analysis; In vivo; Three-dimensional analysis **24**, 152

Knee kinematics; Human motion analysis; Soft tissue artefact; Anatomical landmark misplacement; Error propagation **24**, 137

Knee; Thorax; Moments; Kinematics; Side step cut; Motor control; Biomechanics **24**, 314

Kohonen neural network; Gait; Visualisation; Dimensionality reduction; Self-organising map **24**, 46

Level walking; Movable video-fluoroscopy; Kinematics and kinetics; Total knee arthroplasty; Force plate data **24**, 475

Load carrying; Scoliosis; Backpack; Posture; Balance **24**, 173

Loading; Ankle ROM; Stiffness; Diabetes; Gait **24**, 295

Local dynamic stability; Reliability; Gait stability; Walking; Treadmill **24**, 386

Locomotion; Falling; Dynamic equilibrium; Slip **24**, 441

Locomotion; Gait; Motion analysis; Kinematics; Reproducibility of results **24**, 448

Locomotion; Head motion; Balance; Motor control; Movement kinematics **24**, 62

Locomotion; Head movement; Target acquisition; Eye–head coordination; Vision **24**, 70

Long range correlations; Running; Dynamical degrees of freedom; Variability **24**, 120

Mandible/physiology; Musculoskeletal equilibrium/physiology; Adaptation physiological; Biomechanics **24**, 165

Markov modeling; Variability; Aging; Gait; Nonlinear dynamics **24**, 435

Measurement; 3D motion capture; Movement analysis; Biomechanics; Kinematics **24**, 126

Moments; Knee; Thorax; Kinematics; Side step cut; Motor control; Biomechanics **24**, 314

3D motion capture; Movement analysis; Measurement; Biomechanics; Kinematics **24**, 126

Motion analysis; Gait; Kinematics; Locomotion; Reproducibility of results **24**, 448

Motor acquisition; Gait; Co-contraction; Child development **24**, 375

Motor control; Center of pressure; Stroke; Gait; Hemiparesis **24**, 356

Motor control; Head motion; Balance; Locomotion; Movement kinematics **24**, 62

Motor control; Knee; Thorax; Moments; Kinematics; Side step cut; Biomechanics **24**, 314

Movable video-fluoroscopy; Level walking; Kinematics and kinetics; Total knee arthroplasty; Force plate data **24**, 475

Movement analysis; 3D motion capture; Measurement; Biomechanics; Kinematics **24**, 126

Movement analysis; Soft tissue artifacts; In vivo; Three-dimensional analysis; Knee joint **24**, 152

Movement kinematics; Head motion; Balance; Locomotion; Motor control **24**, 62

Multiple regression; Gait; Clinical measurements; CP; Correlation **24**, 302

Muscle strength; Gait analysis; Kinetics; Dynamometry **24**, 406

Muscular fatigue; Postural control; Vision; Eye–visual target distance; Centre of foot pressure **24**, 169

Musculoskeletal equilibrium/physiology; Adaptation physiological; Mandible/physiology; Biomechanics **24**, 165

Natural turf; Gait; Running; Force; Curve; Kinematics; Soccer **24**, 453

Negative heel; Gait; Rocker sole shoe wear; Diabetic feet; Corrective footwear **24**, 323

Nonlinear dynamics; Variability; Aging; Gait; Markov modeling **24**, 435

Normal adult; Electromyography; Crosstalk; Signal processing; Gait **24**, 429

Normal gait analysis; Orthosis; Kinetics; Kinematics; Stair locomotion **24**, 211

Normalcy; Symmetry; Gait **24**, 515

Normalization; Oxygen consumption; Oxygen cost; Gait **24**, 14

Obstacle avoidance; Aging; Control of locomotion; Personal space; Attention **24**, 364

Obstacle; Gait; Hemiplegic children; Rehabilitation **24**, 331

Obstacle negotiation; Fear of falling; Fall risk; Aging; Postural control **24**, 418

Optokinetic; Stroke; Hemiplegia; Visual dependence; Balance **24**, 262

Orthosis; Kinetics; Kinematics; Stair locomotion; Normal gait analysis **24**, 211

Oxygen consumption; Oxygen cost; Normalization; Gait **24**, 14

Oxygen cost; Oxygen consumption; Normalization; Gait **24**, 14

Personal space; Aging; Control of locomotion; Obstacle avoidance; Attention **24**, 364

Perthes disease; Frontal plane kinematics; Hip loading; Trendelenburg; Duchenne **24**, 196

Plantar pressure; Gait; Aged **24**, 229

Postural control; Anterior cruciate ligament; Knee; Dynamic stability; Somatosensory evoked potentials **24**, 190

Postural control; Anxiety; Aging; Fear of falling **24**, 397

Postural control; Fear of falling; Fall risk; Aging; Obstacle negotiation **24**, 418

Postural control; Muscular fatigue; Vision; Eye–visual target distance; Centre of foot pressure **24**, 169

Posture; Anticipatory postural adjustments; Unilateral shoulder flexion; Vertical torque; Age **24**, 203

Posture; Human movement; Additional postural supports **24**, 382

Posture; Scoliosis; Load carrying; Backpack; Balance **24**, 173

Posture; Spine; Spinal alignment; Sleep; Active shape model **24**, 54

Posturography; Balance; Back pain; Proprioception **24**, 349

Prediction methods; Gait speed; Kinematics; Regression **24**, 280

Principal component analysis; Below-knee amputees; Balance control; Inter-segmental coordination **24**, 4

Proprioception; Posturography; Balance; Back pain **24**, 349

Push-off; Ankle Foot Orthosis; Hemiplegia; Gait; Carbon Fiber **24**, 142

Quadriceps; Heel strike transient; Impulsive loads; Wavelet transform **24**, 77

RCOF; Slips; Falls; Hamstring activation rate; Heel velocity; Age **24**, 23

Reflex activity; Aging; Sensorimotor training; Strength training **24**, 459

Regression; Gait speed; Kinematics; Prediction methods **24**, 280

Rehabilitation; Gait; Hemiplegic children; Obstacle **24**, 331

Reliability; Gait stability; Local dynamic stability; Walking; Treadmill **24**, 386

Repeatability; Scoliosis; Adolescents; Gait; Spinal motion **24**, 219

Reproducibility of results; Gait; Motion analysis; Kinematics; Locomotion **24**, 448

Rocker sole shoe wear; Gait; Diabetic feet; Corrective footwear; Negative heel **24**, 323

Running; Gait; Force; Curve; Kinematics; Natural turf; Soccer **24**, 453

Running; Long range correlations; Dynamical degrees of freedom; Variability **24**, 120

Scoliosis; Load carrying; Backpack; Posture; Balance **24**, 173

Scoliosis; Repeatability; Adolescents; Gait; Spinal motion **24**, 219

Self-organising map; Gait; Visualisation; Dimensionality reduction; Kohonen neural network **24**, 46

Sensitivity analysis; Walking; Swing phase; Gait analysis; Floor clearance **24**, 493

Sensorimotor training; Aging; Strength training; Reflex activity **24**, 459

Short-leg walker; Walking boot; Gait; 3D biomechanics; Walking **24**, 487

Side step cut; Knee; Thorax; Moments; Kinematics; Motor control; Biomechanics **24**, 314

Signal processing; Electromyography; Crosstalk; Gait; Normal adult **24**, 429

Sleep; Spine; Spinal alignment; Posture; Active shape model **24**, 54

Slip and fall; Anticipation; Adaptation **24**, 237

Slip and fall; Tribometers; Gait adaptations; Slip prediction **24**, 110

Slip; Locomotion; Falling; Dynamic equilibrium **24**, 441

Slip prediction; Slip and fall; Tribometers; Gait adaptations **24**, 110

Slips; Falls; Hamstring activation rate; Heel velocity; RCOF; Age **24**, 23

Soccer; Gait; Running; Force; Curve; Kinematics; Natural turf **24**, 453

Soft tissue artefact; Human motion analysis; Knee kinematics; Anatomical landmark misplacement; Error propagation **24**, 137

Soft tissue artifacts; Movement analysis; In vivo; Three-dimensional analysis; Knee joint **24**, 152

Somatosensory evoked potentials; Anterior cruciate ligament; Knee; Postural control; Dynamic stability **24**, 190

Spatiotemporal; Gait transition; Biomechanics **24**, 247

Spinal alignment; Spine; Posture; Sleep; Active shape model **24**, 54

Spinal motion; Repeatability; Scoliosis; Adolescents; Gait **24**, 219

Spine; Spinal alignment; Posture; Sleep; Active shape model **24**, 54

Stair locomotion; Orthosis; Kinetics; Kinematics; Normal gait analysis **24**, 211

Steps; Accelerometry; Children; Inverted pendulum model; Walking distance **24**, 482

Stewart platform; Balance; Axis of rotation; CAREN **24**, 510

Stiffness; Ankle ROM; Diabetes; Gait; Loading **24**, 295

Strength training; Aging; Sensorimotor training; Reflex activity **24**, 459

Stroke; Center of pressure; Gait; Hemiparesis; Motor control **24**, 356

Stroke; Hemiplegia; Optokinetic; Visual dependence; Balance **24**, 262

Swing phase; Walking; Gait analysis; Sensitivity analysis; Floor clearance **24**, 493

Symmetry; Normalcy; Gait **24**, 515

Synergistic ankle plantarflexor muscles; Dissociated activation pattern; Walking in water **24**, 94

Target acquisition; Head movement; Locomotion; Eye–head coordination; Vision **24**, 70

Thorax; Knee; Moments; Kinematics; Side step cut; Motor control; Biomechanics **24**, 314

Three-dimensional analysis; Soft tissue artifacts; Movement analysis; In vivo; Knee joint **24**, 152

Toddler; Gait; Kinematics; Kinetics **24**, 270

Torque; Electrogoniometer; Gait **24**, 370

Total knee arthroplasty; Movable video-fluoroscopy; Level walking; Kinematics and kinetics; Force plate data **24**, 475

Treadmill; Human walking; Joint kinematics; Electromyogram **24**, 35

Treadmill; Reliability; Gait stability; Local dynamic stability; Walking **24**, 386

Trendelenburg; Perthes disease; Frontal plane kinematics; Hip loading; Duchenne **24**, 196

Tribometers; Slip and fall; Gait adaptations; Slip prediction **24**, 110

Trunk control; Anticipatory postural adjustments; Fatigue; Abdominal muscles **24**, 342

Underwater force platforms; Aquatic gait; Ground reaction force **24**, 412

Unilateral shoulder flexion; Posture; Anticipatory postural adjustments; Vertical torque; Age **24**, 203

Variability; Aging; Gait; Markov modeling; Nonlinear dynamics **24**, 435

Variability; Long range correlations; Running; Dynamical degrees of freedom **24**, 120

Vertical torque; Posture; Anticipatory postural adjustments; Unilateral shoulder flexion; Age **24**, 203

Vision; Head movement; Target acquisition; Locomotion; Eye–head coordination **24**, 70

Vision; Postural control; Muscular fatigue; Eye–visual target distance; Centre of foot pressure **24**, 169

Visual dependence; Stroke; Hemiplegia; Optokinetic; Balance **24**, 262

Visualisation; Gait; Dimensionality reduction; Self-organising map; Kohonen neural network **24**, 46

Walking boot; Short-leg walker; Gait; 3D biomechanics; Walking **24**, 487

Walking distance; Accelerometry; Children; Inverted pendulum model; Steps **24**, 482

Walking; Dual-task; Attention; Gait; Cognition **24**, 182

Walking in water; Synergistic ankle plantarflexor muscles; Dissociated activation pattern **24**, 94

Walking; Reliability; Gait stability; Local dynamic stability; Treadmill **24**, 386

Walking; Short-leg walker; Walking boot; Gait; 3D biomechanics **24**, 487

Walking; Swing phase; Gait analysis; Sensitivity analysis; Floor clearance **24**, 493

Wavelet transform; Heel strike transient; Quadriceps; Impulsive loads **24**, 77